


Protein Databases






Outline

- UniProt
- Expectations and problems in using Proteomics data






UniProt

- Collaboration between EBI, SIB and PIR
- Funded mainly by NIH
- Based on the original work on PIR, Swiss-Prot and TrEMBL






UniProt Goals

- High level of annotation
- Minimal redundancy
- High level of integration with other databases
- Complete and up-to-date





UniProt Non-Redundancy Concepts

- UniProt Archive (UniParc):
 - All sequences that are 100% identical over their entire length are merged into a single entry, regardless of species. UniParc represents each protein sequence once and only once, assigning it a unique Identifier. UniParc cross-references the accession numbers of the source databases.
- UniProt Knowledgebase:
 - Aims to describe in a single record all protein products derived from a certain gene (or genes if the translation from different genes in a genome leads to indistinguishable proteins) from a certain species.
 - Proteome sets and IPI
- UniProt Nref (UniRef):
 - Merges seguences automatically across different

UniProt Concepts of Complete and Up-to-date

- UniProt Archive (UniParc):
 - All publically available protein sequences, updated every 2 weeks (12/04, Rel 3.4: 4,775,042 entries)
- UniProt Knowledgebase:
 - All suitable stable protein sequences, updated every 2 weeks (12/04, Rel 3.4: 1,707,421 entries)
- UniProt Nref (UniRef):
 - All protein sequences in the Knowledgebase and in UniParc useful for sequence similarity searches, updated every 2 weeks (12/04, Rel 3.4: 2,774,459 UniRef100, 1,762,793 UniRef90, 837,961430 UniRef50)


UniProt Concepts of Integration with other Databases


- UniProt Archive (UniParc):
 - Linked back to source records
- UniProt Knowledgebase:
 - Linked to >60 other databases
- UniProt Nref (UniRef):
 - UniRef clusters link back to Knowledgebase and UniParc records in the cluster

UniProt Annotation Concepts

- UniProt Archive (UniParc):
 - No annotation
- UniProt Knowledgebase:
 - Annotated
- UniProt Nref (UniRef):
 - No annotation, just description line of Knowledgebase or UniParc master entry in the cluster for use in FASTA files







UniParc 3.4. December 2004

- 4,775,042 unique sequences from 11,095,078 source records (incl. 1,992,408 dead source records)
- Source databases are DDBJ/EMBL/GenBank, UniProt/Swiss-Prot, UniProt/TrEMBL, PIR-PSD, Ensembl, International Protein Index (IPI), PDB, RefSeq, FlyBase, WormBase, H-Inv, TROME, European Patent Office, United States Patent and Trademark Office and Japan Patent Office



Your Query Result Sets (Page - 1)[Data Set Manager]

43 entries

∨ (cro n (cro n.. √ crossref.pdb ... ∨ (cro n (cro n..

18412 entries

H_INV HIT000038320.2

√ crossref.hinv... 35908 entries

∨ (cro n (cro n...

121 entries

Entry UPI0000000356

8 entries

New Query | Download Protein | Bookmark Protein (Ctrl+D)

08-JUN-2004

08-JUN-2004

<u>>>></u>


JP100000003	356 UPI00000006	OF UPI0000000C37	UPI0000	DOODEF	UPI000004EF93	UPI00000D91A	. UPI00000306				
						Viewers: XML Ex	PASy SRS PI				
UPI		UPI000000356									
Sequence		MQTIKCVVVGDGAVGKTCLLISYTTNKFPSEYVPTVFDNYAVTVMIGGEPYTLGLFDTAG QEDYDRLRPLSYPQTDVFLVCFSVVSPSSFENVKEKWVPEITHHCPKTPFLLVGTQIDLR DDPSTIEKLAKNKQKPITPETAEKLARDLKAVKYVECSALTQKGLKNVFDEAILAALEPP EPKKSRRCVLL 191									
	Length										
	CRC64	51A437E22A4D8FFF									
References	DataBase	Accession	Version	Active	Created	Last Update	Deleted				
	EMBL	AAA37410.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	AAA52592.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	AAC00028.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	AAH02711.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	AAH03682.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	AAH18266.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	AAH60535.1	1	Y	30-OCT-2003	10-JUN-2004	-				
	EMBL	AAM21110.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	BAB22563.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	BAC35825.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	CAA90215.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	CAB52602.1	1	N	12-MAR-2003	-	12-MAR-2003				
	EMBL	CAB52602.1	1	Y	19-JUN-2003	10-JUN-2004	-				
	EMBL	CAB57326.1	1	Y	12-MAR-2003	10-JUN-2004	-				
	EMBL	CAE93985.1	1	Y	04-JAN-2004	10-JUN-2004	-				
	EPO	AX305419.1	1	Y	26-MAR-2003	11-JUN-2003	-				
	Ensembl_HUMAN	ENSP00000251252	2	N	04-JUL-2003	-	04-JUL-2003				
	Ensembl_HUMAN	ENSP00000314435	1	N	01-APR-2003	-	03-JUN-2003				
	Ensembl_HUMAN	ENSP00000314458	1	N	01-APR-2003		03-JUN-2003				
	Ensembl_HUMAN	ENSP00000337669	1	Y	13-FEB-2004	07-JUN-2004	-				
	Ensembl_MOUSE	ENSMUSP00000030417	1	N	04-MAR-2003	-	08-NOV-2003				
	Ensembl_MOUSE	ENSMUSP00000054634	1	Y	09-MAY-2003	07-JUN-2004	-				
	Ensembl_RAT	ENSRNOP00000030928	1	Y	13-FEB-2004	07-JUN-2004	-				
	H_INV	HIT000031119.1	1	Y	13-MAY-2004	08-JUN-2004	-				
	H_INV	HIT000031693.1	1	Y	13-MAY-2004	08-JUN-2004	-				
	H_INV	HIT000038320.1	1	N	13-MAY-2004	-	28-MAY-2004				







H_INV		1	Y	13-MAY-2004	08-JUN-2004	-
	HIT000031693.1	1	Y	13-MAY-2004	08-JUN-2004	-
H_INV		1	N	13-MAY-2004	-	28-MAY-2004
H_INV	HIT000038320.2	1	Y	08-JUN-2004	08-JUN-2004	-
IPI	IPI00016786.1	1	Y	14-MAR-2003	02-JUN-2004	-
IPI	IPI00113849.1	1	Y	14-MAR-2003	02-JUN-2004	-
JPO	BD509573	1	Y	26-MAR-2003	11-JUN-2003	-
JPO	BD513687	1	Y	26-MAR-2003	11-JUN-2003	-
ЈРО	BD517764	1	Y	26-MAR-2003	11-JUN-2003	-
PDB	1GRN_A	1	Υ	27-MAR-2003	09-JUN-2004	-
PDB	2NGR_A	1	Υ	27-MAR-2003	09-JUN-2004	-
PIR	A39265	1	Υ	11-APR-2003	11-MAY-2004	-
PIR	S57563	1	Υ	11-APR-2003	11-MAY-2004	-
PIR archive	A39265	1	Υ	31-MAR-2003	04-APR-2003	-
PIR archive	S57563	1	Υ	31-MAR-2003	04-APR-2003	-
RefSeq release	NP_001782.1	1	Y	18-JAN-2004	10-JUN-2004	-
RefSeq release	NP_033991.1	1	Y	18-JAN-2004	10-JUN-2004	-
Swiss-Prot	P25763	1	N	29-MAR-2003	-	18-MAY-2003
Swiss-Prot varsplic	P21181-4	1	N	27-MAY-2003	-	19-MAR-2004
Swiss-Prot varsplic	P60766-2	1	Y	02-APR-2004	11-JUN-2004	-
Swiss-Prot varsplic	P60952-2	1	Y	02-APR-2004	11-JUN-2004	-
Swiss-Prot varsplic	P60953-2	1	Y	02-APR-2004	11-JUN-2004	-
TROME_HS	NT_004610_67_13	1	Y	30-DEC-2003	16-APR-2004	-
TROME_HS	NT_004610_67_14	1	Y	30-DEC-2003	16-APR-2004	-
TROME_HS	NT_004610_67_5	2	Y	30-DEC-2003	16-APR-2004	-
TROME_HS	NT_004610_68_12	1	N	11-NOV-2003	-	02-DEC-2003
TROME_HS	NT_004610_68_13	1	N	11-NOV-2003	-	02-DEC-2003
TROME_HS	NT_004610_68_4	1	N	11-NOV-2003	-	02-DEC-2003
TROME_MM	NT_039266_190_0	1	N	11-NOV-2003	-	08-JAN-2004
TROME_MM	NT_039267_143_0	1	Y	14-APR-2004	16-APR-2004	-
TrEMBLnew	AAH02711	1	N	29-MAR-2003	-	15-NOV-2003
TrEMBLnew	AAH03682	1	N	29-MAR-2003	-	15-NOV-2003
TrEMBLnew	AAH18266	1	N	29-MAR-2003	-	15-NOV-2003
TrEMBLnew	AAH60535	1	Y	01-NOV-2003	11-JUN-2004	-
TrEMBLnew	BAB22563	1	Y	29-MAR-2003	11-JUN-2004	-
TrEMBLnew	BAC35825	1	Y	29-MAR-2003	11-JUN-2004	-
TrEMBLnew	CAB57326	1	Y	29-MAR-2003	11-JUN-2004	-
UPO	AAE17065.1	1	Y	26-MAR-2003	11-JUN-2003	-
UPO	AAO95966.1	1	Y	11-JUN-2003	11-JUN-2003	_










Basic | Extended | Viewers: Fasta | Flat File | XML | ExPASy | SRS | PIR

General information about the	UniProt/Swiss-Prot entry
Entry name	CD42_MOUSE
Primary accession number	P60766
Secondary accession numbers	P21181 P25763
Entered in Swiss-Prot	Release 18, 01-MAY-1991
Sequence was last modified	Release 18, 01-MAY-1991
Annotations were last modified	Release 44, 15-JUN-2004
Protein description	
Protein name	Cell division control protein 42 homolog
Synonyms	G25K GTP-binding protein
Origin of the protein	
Gene	CDC42
From	Mus musculus (Mouse)[TaxID:10090]
Taxonomy	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
References	
[1]	SEQUENCE FROM N.A. (ISOFORM 2). MEDLINE=93218723; PubMed=8464478; [NCBI, ExPASy, EBI, Israel, Japan] Miki T., Smith C.L., Long J.E., Eva A., Fleming T.P.; "Oncogene ect2 is related to regulators of small GTP-binding proteins."; Nature 362:462-465(1993).
[2]	SEQUENCE FROM N.A. (ISOFORM 2). TISSUE=Liver; MEDLINE=97368185; PubMed=9224952; [NCBI, ExPASy, EBI, Israel, Japan] Gong T.W., Shin J.J., Burmeister M., Lomax M.I.; "Complete cDNAs for CDC42 from chicken cochlea and mouse liver."; Biochim. Biophys. Acta 1352:282-292(1997).
[3]	SEQUENCE FROM N.A. (ISOFORM 1). STRAIN=C57BL/6; TISSUE=Brain; MEDLINE=97124841; PubMed=8954774; [NCBI, ExPASy, EBI, Israel, Japan] Marks P.W., Kwiatkowski D.J.; "Genomic organization and chromosomal location of murine Cdc42."; Genomics 38:13-18(1996).
[4]	INTERACTION WITH CDC42EP4. MEDLINE=99421943; PubMed=10490598; [NCBI, ExPASy, EBI, Israel, Japan] Joberty G., Perlungher R.R., Macara I.G.; "The Bords of pow family of Cdc42 and TC10 GTDace interacting proteins."





MEDLINE=99421943; PubMed=10490598; [NCBI, ExPASy, EBI, Israel, Japan]
Joberty G., Perlungher R.R., Macara I.G.;
"The Borgs, a new family of Cdc42 and TC10 GTPase-interacting proteins.";
Mol. Cell. Biol. 19:6585-6597(1999).

[5] SUBUNIT OF A COMPLEX CONTAINING PARD6B; PARD3 AND PRKCZ, AND

MUTAGENESIS OF THR-17.
DOI=10.1038/35019573; MEDLINE=20394296; PubMed=10934474; [NCBI, ExPASy, EBI, Israel, Japan]
Joberty G., Petersen C., Gao L., Macara I.G.;

"The cell-polarity protein Par6 links Par3 and atypical protein kinase C to Cdc42.";
Nat. Cell Biol. 2:531-539(2000).

Comments

FUNCTION	Plasma membrane-associated small GTPase which cycles between an active GTP-bound and an inactive GDP-bound state. In active state binds to a variety of effector proteins to regulate cellular responses. Involved in epithelial cell polarizatio processes. Causes the formation of thin, actin-rich surface projections called filopodia.					
ENZYME REGULATION	Regulated by guanine nucleotide exchange factors (GEFs) which promote the exchange of bound GDP for free GTP, GTPase activating proteins (GAPs) which increase the GTP hydrolysis activity, and GDP dissociation inhibitors which inhibit the dissociation of the nucleotide from the GTPase.					
SUBUNIT	Interacts with Zizimin1/DOCK9 which activates it by exchanging GDP for GTP. Interacts with PARD6A, PARD6B and PARD6G in a GTP-dependent manner. Part of a complex with PARD3, PARD6A or PARD6B and PRKCI or PRKCZ. Interacts with CDC42EP4.					
ALTERNATIVE PRODUCTS	Alternative splicing; 2 named isoforms [Display all isoform sequences in Fasta format] Name=1; Synonyms=Brain; IsoformId=P60766-1, P21181-1; This is the isoform sequence displayed in this entry. Name=2; Synonyms=Placental; IsoformId=P60766-2, P21181-4; Sequence=VSP_009844, VSP_009845;					
SIMILARITY	Belongs to the small GTPase superfamily, Rho family, CDC42 subfamily,					


Copyright

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation -the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch)

Cross-references


l	L11318; AAA37410.1; [EMBL/ GenBank/ DDBJ] [CoDingSequence] U37720; AAC00028.1; [EMBL/ GenBank/ DDBJ] [CoDingSequence]
I	L78075; AAB40051.1; [EMBL/ GenBank/ DDBJ] [CoDingSequence]





	U37720; AAC00028.1;[EMBL/ GenBank/ DDBJ] [CoDingSequence] L78075; AAB40051.1;[EMBL/ GenBank/ DDBJ] [CoDingSequence]						
MGD	MGI:106211; Cdc42.						
GO	Cellular component filopodium GO:0030175 non-traceable authority statement						
	Molecular function	Rho small monomeric GTPase activity	GO:0003931	non-traceable author statement			
	Biological process	actin filament organization	GO:0007015	non-traceable author statement			
		[Quick	GO]				
InterPro	IPR003578; GTPase_Rho. IPR001806; Ras_trnsfrmng. IPR005225; Small_GTP. Graphical view of the domain strcuture						
Additional cross-references							
GeneLynx	CDC42; Mus mus	culus.					
SOURCE	CDC42; Mus musculus.						
Ensembl	P60766; Mus musculus.[Entry/Contig].						
Prodom	[Domain structure/ List of seq. sharing at least 1 domain].						
HOVERGEN	[Familiy/Alignment/Tree].						
BLOCKS	P60766.						
ProtoNet	P60766.						
ProtoMap	P60766.						
PRESAGE	P60766.						
DIP	P60766.						
ModBase	P60766.						
SMR	P60766; 34B44F9	9225EC106B.					
SWISS-2DPAGE	Get region on 2D	PAGE.					
UniRef	View cluster of pr	oteins with at least 50%/9	90% identity.				
Keywords							
	GTP-binding						
	Lipoprotein						
	Prenylation						
	Alternative splicir	ig					
	Methylation						





Alternative splicing
Methylation

Features

Туре	From	To	Length	Description	Feature ID	
CHAIN	1	188	188	Cell division control protein 42 homolog.		
PROPEP	189	191	3	Removed in mature form.		
NP_BIND	10	17	8	GTP (BY SIMILARITY).		
DOMAIN	32	40	9	Effector region (POTENTIAL).		
NP_BIND	57	61	5	GTP (BY SIMILARITY).		
NP_BIND	115	118	4	GTP (BY SIMILARITY).		
MOD_RES	188	188		Cysteine methyl ester (in mature form) (BY SIMILARITY).		
LIPID	188	188		S-geranylgeranyl cysteine (BY SIMILARITY).		
VARSPLIC	163	163		R -> K (in isoform 2)	VSP_009844	
VARSPLIC	182	191		TQPKR KCCIF -> PKKSR RCVLL (in isoform 2)	VSP_009845	
MUTAGEN	17	17		T->N: Constitutively inactivate. Abolishes interaction with PARD6 proteins.		





Sequence information

| | ETQPKRKCCI F

п	<u>sequence</u>						
ı	Length	Length 191 AA					
ı	Molecular w	eight	21	310 Da			
ı	CRC64		34	B44F9225EC	:106B [Th	nis is a check	sum on the sequence]
ı	10	20	30	40	50	60	
ı	1	1	1	1	1	1	
ı	MQTIKCVVVG	DGAVGKTCLL	ISYTTNKFPS	EYVPTVFDNY	AVTVMIGGEP	YTLGLFDTAG	
ı	70	80	90	100	110	120	
ı	1	1	1	1	1	1	
ı	QEDYDRLRPL	SYPQTDVFLV	CFSVVSPSSF	ENVKEKWVPE	ITHHCPKTPF	LLVGTQIDLR	
ı	130	140	150	160	170	180	
ı	I-	1	1	-1	1	1	
ı	DDPSTIEKLA	KNKQKPITPE	TAEKLARDLK	AVKYVECSAL	${\tt TQRGLKNVFD}$	EAILAALEPP	
П	190						







		Viewers: XML SRS	ExPASy PIR
Accession Number		UniRef100_P60953	
Name		Cell division control protein 42 homolog	
UniRef90 ID		<u>UniRef90_P60953</u>	
Sequence		MQTIKCVVVGDGAVGKTCLLISYTTNKFPSEYVPTVFDNYAVTVMIGGEPYTLGLFDTAG QEDYDRLRPLSYPQTDVFLVCFSVVSPSSFENVKEKWVPEITHHCPKTPFLLVGTQIDLR DDPSTIEKLAKNKQKPITPETAEKLARDLKAVKYVECSALTQRGLKNVFDEAILAALEPP ETQPKRKCCIF	
	Length	191	
	CRC64	34B44F9225EC106B	
Representative	UniProt ID	CD42 HUMAN	
	UniProt Accession Numbers	P60953, P21181, P25763.	
	UniParc ID	<u>UPI000000CF6</u>	
	Protein Name	Cell division control protein 42 homolog	
	Source Organism	Homo sapiens	
	NCBI Taxonomy ID	9606	
Member	UniProt ID	CD42 MOUSE	
	UniProt Accession Numbers	P60766, P21181, P25763.	
	UniParc ID	<u>UPI000000CF6</u>	
	Protein Name	Cell division control protein 42 homolog	
	Source Organism	Mus musculus	
	NCBI Taxonomy ID	10090	
	Length	191	
	Overlap Region	1 - 191	
	Member	UniProt ID	CD42 CANFA
		UniProt Accession Numbers	P60952, P21181, P25763.
UniParc ID		<u>UPI000000CF6</u>	
Protein Name		Cell division control protein 42 homolog	
Source Organism		Canis familiaris	
NCBI Taxonomy ID		9615	
Length		191	
Overlap Region		1 - 191	





		Viewers: XML SRS ExPASy PIR
Accession Numbe	r	UniRef90_P60953
Name		Cell division control protein 42 homolog related cluster
UniRef100 ID		<u>UniRef100 P60953</u>
Sequence		MQTIKCVVVGDGAVGKTCLLISYTTNKFPSEYVPTVFDNYAVTVMIGGEPYTLGLFDTAG QEDYDRLRPLSYPQTDVFLVCFSVVSPSSFENVKEKWVPEITHHCPKTPFLLVGTQIDLR DDPSTIEKLAKNKQKPITPETAEKLARDLKAVKYVECSALTQRGLKNVFDEAILAALEPP ETQPKRKCCIF
	Length	191
	CRC64	34B44F9225EC106B
Representative	UniProt ID	CD42 HUMAN
	UniProt Accession Numbers	P60953, P21181, P25763.
	Protein Name	Cell division control protein 42 homolog
	Source Organism	Homo sapiens
	NCBI Taxonomy ID	9606
Member	UniProt ID / Accession Number	Q7PQZ1
	Protein Name	ENSANGP00000023777
	Source Organism	Anopheles gambiae str. PEST
	NCBI Taxonomy ID	180454
	UniRef100 ID	UniRef100 Q7PQZ1
Member	UniProt ID / Accession Number	Q86DH9
	Protein Name	Cdc42
	Source Organism	Aplysia californica
	NCBI Taxonomy ID	6500
	UniRef100 ID	UniRef100 Q86DH9
Member	UniProt ID / Accession Number	Q86RA4
	Protein Name	GTP-binding protein
	Source Organism	Brugia malayi (Filarial nematode worm)
	NCBI Taxonomy ID	6279
	UniRef100 ID	UniRef100 Q86RA4
Member	UniProt ID / Accession Number	<u>Q9U9S6</u>
	Protein Name	CDC42 protein
	Source Organism	Drosophila melanogaster
	NCBI Taxonomy ID	7227
	UniRef100 ID	<u>UniRef100 Q9U9S6</u>
Member	UniProt ID / Accession Number	Q9U9S5
	Duntain Nama	CDC42 protoin






Member	UniProt ID / Accession Number	<u>Q9U9S5</u>
	Protein Name	CDC42 protein
	Source Organism	Drosophila melanogaster
	NCBI Taxonomy ID	7227
	UniRef100 ID	UniRef100 Q9U9S5
Member	UniProt ID / Accession Number	Q9U9S4
	Protein Name	CDC42 protein
	Source Organism	Drosophila melanogaster
	NCBI Taxonomy ID	7227
	UniRef100 ID	<u>UniRef100 Q9U9S4</u>
Member	UniProt ID / Accession Number	<u>Q9U9S3</u>
	Protein Name	CDC42 protein
	Source Organism	Drosophila melanogaster
	NCBI Taxonomy ID	7227
	UniRef100 ID	<u>UniRef100 Q9U9S3</u>
Member	UniProt ID	CD42 CHICK
	UniProt Accession Numbers	Q90694.
	Protein Name	Cell division control protein 42 homolog
	Source Organism	Gallus gallus
	NCBI Taxonomy ID	9031
	UniRef100 ID	<u>UniRef100_Q90694</u>
Member	UniProt ID / Accession Number	<u>P60953-2</u>
	Protein Name	Splice isoform 2 of P60953
	Source Organism	Homo sapiens
	NCBI Taxonomy ID	9606
	UniRef100 ID	<u>UniRef100_P60953-2</u>
Member	UniProt ID	CC42 DROME
	UniProt Accession Numbers	P40793, Q9V465.
	Protein Name	Cdc42 homolog
	Source Organism	Drosophila melanogaster
	NCBI Taxonomy ID	7227
	UniRef100 ID	<u>UniRef100 P40793</u>
Member	UniProt ID	CC42 ANOGA
	UniProt Accession Numbers	Q17031, Q93110.
	Protein Name	CDC42 homolog
	Source Organism	Anopheles gambiae
	NCBI Taxonomy ID	7165
	UniRef100 ID	<u>UniRef100 Q17031</u>



Common problems for UniProt to make use of Proteomics data

- False peptide and protein IDs
- Use of outdated, redundant and incomplete databases, no use of annotated features like known variants and PTMs
- Redundant Identifications
- IDs based on incomplete data
- IDs based on different Organisms
- Blind Trust in DE lines
- Lack of Proteomics data repositories or lack of collaboration between them



International Protein Index: Statistics Page

Current composition of Human IPI

The following table describes the latest version of IPI (Human, 3.00), released on **Wed, 3 Nov 2004** and assembled using the publicly released data available in the source databases on **Wed, 3 Nov 2004**

IPI data sets are released monthly, usually at the start of each calendar month.

Click here to download the IPI for Human.


Click here to get the statistics for Mouse.


Click here to get the statistics for Rat.

Number of IPI entries				
Number of entries in IPI	47094			
Total number of entries referenced by IPI	121596			
Number of references to UniProt	59132			
Number of references to RefSeq	28353			
Number of references to ENSEMBL	34111			
Composition of IPI entries				
Number of IPI entries pointing only to UniProt	9308			
Number of IPI entries pointing only to RefSeq	3910			
Number of IPI entries pointing only to UniProt and RefSeq	2055			
Number of IPI entries pointing only to ENSEMBL	4547			
Number of IPI entries pointing only to UniProt and ENSEMBL	6236			
Number of IPI entries pointing only to RefSeq and ENSEMBL	1512			
Number of IPI entries pointing only to UniProt and RefSeq and ENSEMBL	19526			
Developed	FASTA format			
Download	<u>UniProt format</u>			

History of human IPI

IPI and UniProt sets (areas) and referenced source entries (lines)







What protein has been identified?


- The ID is ambiguous due to matching against
 - many proteins derived from different transcripts from different genes
 - many proteins derived from different transcripts from one gene
- The ID is unambiguously pointing to a protein derived from a certain transcript of a certain gene, but ...

Envisaged use of Proteomics data by UniProt

- Verification of existence of gene products:
 - The ability to define the major splice variants (by tissue) will lead to more accurate structure/function predictions due to specific knowledge of exon/domain structure
 - Avoid false positive protein entries from ab initio gene predictions and spurious ORFs
 - Identify AA-changing SNPs that are validated through in vivo conformation at the protein level in primary human tissue
- Temporal and spatial information on proteins
- Protein-Protein Interactions
- Existence and Role of PTMs








Proteomics Standards

- HUPO PSI standards
 - MI, mzData, mzIdent,
 - Without such standards no data harvesting possible and no exchange of data between repositories
- Standards for QA/QC
- Generally already well accepted but need support by journal and funding agencies to speed up implementation and creation of repositories

What we need

- Standards for data exchange
- Standards for QA/QC
- Proteomics repositories (Archives)
- Added-value Proteomics databases
- Data sharing: Mandatory submission of data
 - RO1 vs community resources: at publication vs prepublication (NIH/WT Fort Lauderdale agreement)
- Collaboration on many levels, between
 - databases (like DDBJ/EMBL/GenBank)
 - funding agencies, journals, databases and data providers to enforce data submission and exchange
 - vendors, funding agencies, journals, databases and data providers to create and enforce standards






Funding

- EMBL
- Industry Contributions
- European Commission
- NIH
- MRC
- BBSRC
- HUPO
- IUPHAR





Group leaders: Ro

UniProt, InterPro, IntAct, etc, at EBI and SIB

Group leaders: Rolf Apweiler, Amos Bairoch

- •Co-ordinators: Wolfgang Fleischmann, Henning Hermjakob, Michele Magrane, Maria-Jesus Martin, Nicola Mulder, Claire O'Donovan, Manuela Pruess
- •Annotators/curators: Yasmin Alam-Faruque, Philippe Aldebert, Nicola Althorpe, Andrea Auchincloss, Kirsty Bates, Marie-Claude Blatter Garin, Brigitte Boeckmann, Silvia Braconi Quintaj, Paul Browne, Evelyn Camon, Wei Mun Chan, Danielle Coral, Elisabeth Coudert, Tania de Oliveria Lima, Kirill Degtyarenko, Sylvie Dethiollaz, Emily Dimmer, Ruth Eberhardt, Marcus Ennis, Ann Estreicher, Livia Famiglietti, Nathalie Farriol-Mathis, Stephanie Federico, Serenella Ferro, Gill Fraser, John Gamble, John Steve Garavelli, Raffaella Gatto, Vivienne Gerritsen, Arnaud Gos, Nadine Gruaz-Gumowski, Janet Harwood, Ursula Hinz, Chantal Hulo, Julius Jacobson, Janet James, Florence Jungo, Vivien Junker, Youla Karavidopoulou, Maria Krestyaninova, Kati Laiho, Vivian Lee, Minna Lehvaslaiho, David Lonsdale, Jennifer McDowall, Michelle McHale, Karine Michoud, Virginie Mittard, Madelaine Moinat, Markiyan Oliynyk, Sandra Orchard, Sandrine Pilbout, Sylvain Poux, Sorogini Reynaud, Catherine Rivoire, Bernd Röchert, Michel Schneider, Christian Sigrist, Andre Stutz, Shyamala Sundaram, Michael Tognolli, Sandra van den Broek, Bob Vaughan, Eleanor Whitfield
- •Programmers: Daniel Barrell, David Binns, Michael Darsow, Ujjwal Das, Eduardo de Castro, Paula de Matos, Jorge Duarte, Alexander Fedotov, Rodrigo Fernandez, Astrid Fleischmann, Elisabeth Gasteiger, Alain Gateau, Federico Garcia-Diez, Andre Hackmann, Ivan Ivanyi, Eric Jain, Phil Jones, Alexander Kanapin, Samuel Kerrien, Paul Kersey, Asif Kibria, Ernst Kretschmann, Corinne Lachaize, Chris Lewington, Xavier Martin, John Maslen, Peter McLaren, Rupinder Singh Mazara, Lorna Morris, Sugath Mudali, John O'Rourke, Gulam Patel, Sam Patient, Isabelle Phan, Emmanuel Quevillon, Antony Quinn, Astrid Rakow, Muruli Rao, Nicole Redaschi, Siamak Sobhany, Chris Taylor, Nisha Vinod, Daniela Wieser, Allyson Williams, Dan Wu
- •Research staff: Kristian Axelsen, Pierre-Alain Binz, Nicolas Hulo, Anne-Lise Veuthey
- •Administrative assistance: Veronique Mangold, Claudia Sapsezian, Margaret Shore-Nye, Veronique Verbegue
- •Students: Pavel Dobrokhotov, Alexandre Gattiker, various MCF, etc.

